PRESSURE TRANSDUCER HM 20-2X/100-C-K35-N

R901342024



Pressure transducer with analog output 4 ... 20 mA, pressure range 0 ... 100 bar, connector 4-pole M12x1 A-coded, throttle element

1

ADD TO CART

PRODUCT DESCRIPTION TECHNICAL SPECS DOCUMENTS CAD

Product attributes

Connection diagram	Male thread G1/4
Product family	HM20
Operating pressure, max. [bar]	100
Output signal	4...20 mA
Supply voltage	24 VDC
Electrical connector	Connector, 4-pole, M12 x 1, coding A
Display	no
Electrical connection description	Connector, 4-pole, M12 x 1, coding A according to EN 61076-2-1
Conformity description	CE – electro-magnetic compatibility 2014/30/EURoHS Directive
Hydraulic fluid	HL,HLP,HFC,Nitrogen (up to 300 bar)
Seals	NBR
Weight [kg]	0.07



COMPANY

About Bosch Rexroth

Contact Locator

Tradeshows and Events

Blogs

Press

Jobs and Career

RELATED LINKS

eConfigurators and Tools

Rexroth Store

Downloads

LOCATION

LOCATION
Malaysia

© Bosch Rexroth AG 2014-2025, all rights reserved