



605

ROD SEAL

Twin Lip
Polyurethane

DESIGN



The Hallite 605 twin lip, asymmetric rod seal is designed with precision trimmed sealing lips to provide a dry sealing solution in light and medium-duty applications. The seal can be considered for use in heavy-duty applications when used with a suitable full depth back-up ring. The sealing lips are precision trimmed at an angle to give optimal rod sealing performance.

The range covers most standard housings used in Europe, North America and Asia.

The Hallite 605 is designed to have interference in the seal housing groove and has a secondary lip. The secondary sealing lip located behind the primary sealing lip improves stability of the seal in the gland. The inner dynamic lip is shorter and more robust to improving sealing and compression set characteristics over conventional, symmetrical U-rings.

The Hallite 605 is moulded in Hythane® 181, Hallite's high-performance polyurethane, for easy installation and excellent low temperature performance.


FEATURES

- General purpose rod seal
- Robust design
- Excellent wear resistance
- Increase seal stability
- Performs well over wide temperature range and is extremely effective in low temperatures
- Primary lip protection
- Easy to install

MATERIALS

As standard, this product comes in the following material. Contact your local Hallite technical team if you would like to find out if this profile can be made in a custom material to suit your application. For further material details, please refer to the Hallite Material Table.

MATERIAL OPTIONS	Name	Type	Colour
Standard	Hythane® 181	TPU-EU	Blue




PART NUMBER RANGE

METRIC						
$Ød_1$	TOL f9	$ØD_1$	TOL Js11	SL	L_1 +0.25-0	PART No.
50.00	-0.03 -0.09	65.00	+0.10 -0.10	9.00	10.00	4611900
50.00	-0.03 -0.09	65.00	+0.10 -0.10	9.50	10.50	4344000
50.00	-0.03 -0.09	65.00	+0.10 -0.10	10.00	11.00	4617000
50.00	-0.03 -0.09	65.00	+0.10 -0.10	10.90	12.00	4291700
50.00	-0.03 -0.09	65.00	+0.10 -0.10	11.40	12.50	4625400‡
50.00	-0.03 -0.09	65.00	+0.10 -0.10	14.50	16.00	4381900
50.00	-0.03 -0.09	70.00	+0.10 -0.10	12.00	13.00	4612000
53.00	-0.03 -0.10	63.00	+0.10 -0.10	6.00	7.00	4617700
53.00	-0.03 -0.10	65.00	+0.10 -0.10	9.00	10.00	4371700
55.00	-0.03 -0.10	63.00	+0.10 -0.10	8.20	9.00	4863400
55.00	-0.03 -0.10	65.00	+0.10 -0.10	6.00	7.00	4615600
55.00	-0.03 -0.10	65.00	+0.10 -0.10	7.30	8.00	4703500
55.00	-0.03 -0.10	65.00	+0.10 -0.10	8.20	9.00	4360400
55.00	-0.03 -0.10	65.00	+0.10 -0.10	10.00	11.00	4306100
55.00	-0.03 -0.10	65.00	+0.10 -0.10	11.80	13.00	4323400
55.00	-0.03 -0.10	68.00	+0.10 -0.10	10.00	11.00	4593800
55.00	-0.03 -0.10	70.00	+0.10 -0.10	9.00	10.00	4612100

NOTE Part numbers commencing "46 . . . ." or suffixed by "Ɪ" are designed to suit popular Asian housings.
Part numbers suffixed by"‡" indicate housing sizes to meet ISO5597.

PART NUMBERS ON THIS PAGE ARE LISTED IN THE STANDARD MATERIAL OPTION. FOR MATERIAL VARIATIONS OR FOR CUSTOM SIZES, MATERIALS, OR SEAL DESIGNS, PLEASE CONTACT YOUR LOCAL HALLITE REPRESENTATIVE.



605


ROD SEAL

Twin Lip
Polyurethane

PART NUMBER RANGE

METRIC						
$Ød_1$	TOL f9	$ØD_1$	TOL Js11	SL	L_1 +0.25-0	PART No.
55.00	-0.03 -0.10	70.00	+0.10 -0.10	11.80	13.00	4319200
55.00	-0.03 -0.10	71.00	+0.10 -0.10	12.00	13.00	4625000
55.00	-0.03 -0.10	75.00	+0.10 -0.10	12.00	13.00	4612200
56.00	-0.03 -0.10	66.00	+0.10 -0.10	10.00	11.00	4311800
56.00	-0.03 -0.10	71.00	+0.10 -0.10	10.00	11.00	4311900
56.00	-0.03 -0.10	71.00	+0.10 -0.10	11.40	12.50	4306200‡
60.00	-0.03 -0.10	68.00	+0.10 -0.10	11.40	12.50	4538000
60.00	-0.03 -0.10	70.00	+0.10 -0.10	6.00	7.00	4610500
60.00	-0.03 -0.10	70.00	+0.10 -0.10	7.30	8.00	4703600
60.00	-0.03 -0.10	70.00	+0.10 -0.10	10.00	11.00	4310600
60.00	-0.03 -0.10	70.00	+0.10 -0.10	11.80	13.00	4306300
60.00	-0.03 -0.10	71.00	+0.10 -0.10	7.00	8.00	4615700
60.00	-0.03 -0.10	72.00	+0.10 -0.10	10.00	11.00	4323500
60.00	-0.03 -0.10	73.00	+0.10 -0.10	10.00	11.00	4593900
60.00	-0.03 -0.10	75.00	+0.10 -0.10	9.00	10.00	4612300
60.00	-0.03 -0.10	75.00	+0.10 -0.10	10.00	11.00	4378700
60.00	-0.03 -0.10	75.00	+0.10 -0.10	11.40	12.50	4857700

NOTE Part numbers commencing “46 . . . .” or suffixed by “Ɪ” are designed to suit popular Asian housings.
Part numbers suffixed by”‡” indicate housing sizes to meet ISO5597.




PART NUMBER RANGE

METRIC						
$Ød_1$	TOL f9	$ØD_1$	TOL Js11	SL	L_1 +0.25-0	PART No.
60.00	-0.03 -0.10	75.00	+0.10 -0.10	11.80	13.00	4306400
60.00	-0.03 -0.10	75.00	+0.10 -0.10	20.50	22.50	4391800
60.00	-0.03 -0.10	76.00	+0.10 -0.10	10.00	11.00	4625100
60.00	-0.03 -0.10	80.00	+0.10 -0.10	11.40	12.50	4514300
60.00	-0.03 -0.10	80.00	+0.10 -0.10	12.00	13.00	4612400
63.00	-0.03 -0.10	73.00	+0.10 -0.10	6.00	7.00	4612500
63.00	-0.03 -0.10	73.00	+0.10 -0.10	11.80	13.00	4312000
63.00	-0.03 -0.10	78.00	+0.10 -0.10	10.00	11.00	4312100
63.00	-0.03 -0.10	78.00	+0.10 -0.10	11.40	12.50	4306500‡
63.00	-0.03 -0.10	83.00	+0.11 -0.11	11.80	13.00	4857800
65.00	-0.03 -0.10	75.00	+0.10 -0.10	6.00	7.00	4615900
65.00	-0.03 -0.10	75.00	+0.10 -0.10	7.70	9.00	4314500
65.00	-0.03 -0.10	75.00	+0.10 -0.10	11.80	13.00	4306600
65.00	-0.03 -0.10	77.00	+0.10 -0.10	9.00	10.00	4703700
65.00	-0.03 -0.10	77.70	+0.10 -0.10	9.50	10.50	4334500
65.00	-0.03 -0.10	78.00	+0.10 -0.10	10.00	11.00	4616200
65.00	-0.03 -0.10	80.00	+0.10 -0.10	9.00	10.00	4612600

NOTE Part numbers commencing "46 . . . ." or suffixed by "Ɪ" are designed to suit popular Asian housings.
Part numbers suffixed by"‡" indicate housing sizes to meet ISO5597.

PART NUMBERS ON THIS PAGE ARE LISTED IN THE STANDARD MATERIAL OPTION. FOR MATERIAL VARIATIONS OR FOR CUSTOM SIZES, MATERIALS, OR SEAL DESIGNS, PLEASE CONTACT YOUR LOCAL HALLITE REPRESENTATIVE.



605


ROD SEAL

Twin Lip
Polyurethane

PART NUMBER RANGE

METRIC						
$Ød_1$	TOL f9	$ØD_1$	TOL Js11	SL	L_1 +0.25-0	PART No.
65.00	-0.03 -0.10	80.00	+0.10 -0.10	11.80	13.00	4312200
65.00	-0.03 -0.10	85.00	+0.11 -0.11	12.00	13.00	4612700
67.00	-0.03 -0.10	77.00	+0.10 -0.10	6.00	7.00	4612800
68.50	-0.03 -0.10	76.50	+0.10 -0.10	8.00	9.00	4855200
70.00	-0.03 -0.10	78.00	+0.10 -0.10	11.40	12.50	4863500
70.00	-0.03 -0.10	80.00	+0.10 -0.10	6.00	7.00	4615800
70.00	-0.03 -0.10	80.00	+0.10 -0.10	11.40	12.50	4857900
70.00	-0.03 -0.10	80.00	+0.10 -0.10	11.80	13.00	4312300
70.00	-0.03 -0.10	82.00	+0.11 -0.11	8.70	9.60	4494700
70.00	-0.03 -0.10	82.00	+0.11 -0.11	10.00	11.00	4323600
70.00	-0.03 -0.10	83.00	+0.11 -0.11	10.00	11.00	4616400
70.00	-0.03 -0.10	85.00	+0.11 -0.11	9.00	10.00	4612900
70.00	-0.03 -0.10	85.00	+0.11 -0.11	10.00	11.00	4302700
70.00	-0.03 -0.10	85.00	+0.11 -0.11	11.40	12.50	4301200‡
70.00	-0.03 -0.10	85.00	+0.11 -0.11	20.50	22.50	4401400
70.00	-0.03 -0.10	90.00	+0.11 -0.11	12.00	13.00	4613000
75.00	-0.03 -0.10	83.00	+0.11 -0.11	11.40	12.50	4706300

NOTE Part numbers commencing “46 . . . .” or suffixed by “ϫ”are designed to suit popular Asian housings.
Part numbers suffixed by”‡” indicate housing sizes to meet ISO5597.




PART NUMBER RANGE

METRIC						
$Ød_1$	TOL f9	$ØD_1$	TOL Js11	SL	L_1 +0.25-0	PART No.
75.00	-0.03 -0.10	85.00	+0.11 -0.11	6.00	7.00	4616800
75.00	-0.03 -0.10	85.00	+0.11 -0.11	11.40	12.50	4858000
75.00	-0.03 -0.10	85.00	+0.11 -0.11	11.80	13.00	4312400
75.00	-0.03 -0.10	88.00	+0.11 -0.11	10.00	11.00	4616300
75.00	-0.03 -0.10	90.00	+0.11 -0.11	9.00	10.00	4613100
75.00	-0.03 -0.10	90.00	+0.11 -0.11	10.00	11.00	4862800
75.00	-0.03 -0.10	90.00	+0.11 -0.11	11.40	12.50	4858100
75.00	-0.03 -0.10	95.00	+0.11 -0.11	12.00	13.00	4613200
77.00	-0.03 -0.10	87.00	+0.11 -0.11	11.80	13.00	4863100
78.00	-0.03 -0.10	86.00	+0.11 -0.11	9.00	10.00	4538700
78.00	-0.03 -0.10	86.00	+0.11 -0.11	11.40	12.50	4863600
80.00	-0.03 -0.10	88.00	+0.11 -0.11	10.90	12.00	4766600
80.00	-0.03 -0.10	90.00	+0.11 -0.11	6.00	7.00	4616000
80.00	-0.03 -0.10	90.00	+0.11 -0.11	10.00	11.00	4390400
80.00	-0.03 -0.10	90.00	+0.11 -0.11	11.80	13.00	4312500
80.00	-0.03 -0.10	92.00	+0.11 -0.11	8.70	9.60	4494800
80.00	-0.03 -0.10	93.00	+0.11 -0.11	10.00	11.00	4615200

NOTE Part numbers commencing “46 . . . .” or suffixed by “Ɪ” are designed to suit popular Asian housings.
Part numbers suffixed by”‡” indicate housing sizes to meet ISO5597.

PART NUMBERS ON THIS PAGE ARE LISTED IN THE STANDARD MATERIAL OPTION. FOR MATERIAL VARIATIONS OR FOR CUSTOM SIZES, MATERIALS, OR SEAL DESIGNS, PLEASE CONTACT YOUR LOCAL HALLITE REPRESENTATIVE.



605


ROD SEAL

Twin Lip
Polyurethane

PART NUMBER RANGE

METRIC						
$Ød_1$	TOL f9	$ØD_1$	TOL Js11	SL	L_1 +0.25-0	PART No.
80.00	-0.03 -0.10	95.00	+0.11 -0.11	9.00	10.00	4613300
80.00	-0.03 -0.10	95.00	+0.11 -0.11	10.00	11.00	4383500
80.00	-0.03 -0.10	95.00	+0.11 -0.11	11.40	12.50	4620000‡
80.00	-0.03 -0.10	95.00	+0.11 -0.11	11.80	13.00	4306700
80.00	-0.03 -0.10	100.00	+0.11 -0.11	12.00	13.00	4613400
80.00	-0.03 -0.10	100.00	+0.11 -0.11	14.50	16.00	4382800‡
80.00	-0.03 -0.10	110.00	+0.11 -0.11	16.40	18.00	4342900
85.00	-0.04 -0.12	93.00	+0.11 -0.11	8.20	9.00	4839100
85.00	-0.04 -0.12	93.00	+0.11 -0.11	10.00	11.00	4392700
85.00	-0.04 -0.12	93.00	+0.11 -0.11	11.40	12.50	4537900
85.00	-0.04 -0.12	95.00	+0.11 -0.11	11.80	13.00	4863700
85.00	-0.04 -0.12	100.00	+0.11 -0.11	9.00	10.00	4610600
85.00	-0.04 -0.12	100.00	+0.11 -0.11	10.00	11.00	4615300
85.00	-0.04 -0.12	100.00	+0.11 -0.11	11.80	13.00	4306800
85.00	-0.04 -0.12	105.00	+0.11 -0.11	12.00	13.00	4613500
90.00	-0.04 -0.12	98.00	+0.11 -0.11	11.40	12.50	4706400
90.00	-0.04 -0.12	100.00	+0.11 -0.11	6.80	7.50	4493500‡

NOTE Part numbers commencing "46 . . . ." or suffixed by "Ɪ" are designed to suit popular Asian housings.
Part numbers suffixed by"‡" indicate housing sizes to meet ISO5597.




PART NUMBER RANGE

METRIC						
$Ød_1$	TOL f9	$ØD_1$	TOL Js11	SL	L_1 +0.25-0	PART No.
90.00	-0.04 -0.12	100.00	+0.11 -0.11	9.00	10.00	4366900
90.00	-0.04 -0.12	100.00	+0.11 -0.11	11.40	12.50	4858200
90.00	-0.04 -0.12	100.00	+0.11 -0.11	11.80	13.00	4314600
90.00	-0.04 -0.12	102.00	+0.11 -0.11	8.70	9.60	4333000
90.00	-0.04 -0.12	105.00	+0.11 -0.11	9.00	10.00	4613600
90.00	-0.04 -0.12	105.00	+0.11 -0.11	10.00	11.00	4615400
90.00	-0.04 -0.12	105.00	+0.11 -0.11	11.40	12.50	4306900‡
90.00	-0.04 -0.12	110.00	+0.11 -0.11	12.00	13.00	4613700
95.00	-0.04 -0.12	103.00	+0.11 -0.11	11.40	12.50	4863200
95.00	-0.04 -0.12	110.00	+0.11 -0.11	9.00	10.00	4610700
95.00	-0.04 -0.12	110.00	+0.11 -0.11	10.00	11.00	4615500
95.00	-0.04 -0.12	110.00	+0.11 -0.11	11.80	13.00	4617600
95.00	-0.04 -0.12	115.00	+0.11 -0.11	12.00	13.00	4613800
96.00	-0.04 -0.12	104.00	+0.11 -0.11	10.90	12.00	4380300
98.00	-0.04 -0.12	112.00	+0.11 -0.11	8.50	9.50	4618200
100.00	-0.04 -0.12	108.00	+0.11 -0.11	10.90	12.00	4766700
100.00	-0.04 -0.12	110.00	+0.11 -0.11	10.90	12.00	4461700

NOTE Part numbers commencing "46 . . . ." or suffixed by "Ɪ" are designed to suit popular Asian housings.
Part numbers suffixed by"‡" indicate housing sizes to meet ISO5597.

PART NUMBERS ON THIS PAGE ARE LISTED IN THE STANDARD MATERIAL OPTION. FOR MATERIAL VARIATIONS OR FOR CUSTOM SIZES, MATERIALS, OR SEAL DESIGNS, PLEASE CONTACT YOUR LOCAL HALLITE REPRESENTATIVE.



605


ROD SEAL

Twin Lip
Polyurethane

PART NUMBER RANGE

METRIC						
$Ød_1$	TOL f9	$ØD_1$	TOL Js11	SL	L_1 +0.25-0	PART No.
100.00	-0.04 -0.12	115.00	+0.11 -0.11	9.00	10.00	4610800
100.00	-0.04 -0.12	115.00	+0.11 -0.11	10.00	11.00	4617100
100.00	-0.04 -0.12	115.00	+0.11 -0.11	11.80	13.00	4312600
100.00	-0.04 -0.12	120.00	+0.11 -0.11	11.80	13.00	4312700⁒
100.00	-0.04 -0.12	120.00	+0.11 -0.11	14.50	16.00	4307000‡
105.00	-0.04 -0.12	113.00	+0.11 -0.11	10.00	11.00	4392800
105.00	-0.04 -0.12	115.00	+0.11 -0.11	13.20	14.50	4390500
105.00	-0.04 -0.12	120.00	+0.11 -0.11	9.00	10.00	4617300
105.00	-0.04 -0.12	120.00	+0.11 -0.11	10.00	11.00	4617200
105.00	-0.04 -0.12	120.00	+0.11 -0.11	14.50	16.00	4379500
105.00	-0.04 -0.12	125.00	+0.13 -0.13	14.50	16.00	4617400
108.00	-0.04 -0.12	123.00	+0.13 -0.13	10.90	12.00	4329100
110.00	-0.04 -0.12	125.00	+0.13 -0.13	9.00	10.00	4459700⁒
110.00	-0.04 -0.12	125.00	+0.13 -0.13	11.00	12.00	4537800
110.00	-0.04 -0.12	125.00	+0.13 -0.13	14.50	16.00	4481600
110.00	-0.04 -0.12	130.00	+0.13 -0.13	11.80	13.00	4312800⁒
110.00	-0.04 -0.12	130.00	+0.13 -0.13	14.50	16.00	4307100‡

NOTE Part numbers commencing “46 . . . . .” or suffixed by “⁒”are designed to suit popular Asian housings.
Part numbers suffixed by”‡” indicate housing sizes to meet ISO5597.




PART NUMBER RANGE

METRIC						
$Ød_1$	TOL f9	$ØD_1$	TOL Js11	SL	L_1 +0.25-0	PART No.
110.00	-0.04 -0.12	135.00	+0.13 -0.13	14.50	16.00	4343000
112.00	-0.04 -0.12	125.00	+0.13 -0.13	9.00	10.00	4610900
115.00	-0.04 -0.12	123.00	+0.13 -0.13	11.40	12.50	4903400
115.00	-0.04 -0.12	125.00	+0.13 -0.13	11.00	12.00	4619300
115.00	-0.04 -0.12	130.00	+0.13 -0.13	9.00	10.00	4459800
115.00	-0.04 -0.12	130.00	+0.13 -0.13	10.90	12.00	4434600
115.00	-0.04 -0.12	130.00	+0.13 -0.13	14.50	16.00	4342600
120.00	-0.04 -0.12	128.00	+0.13 -0.13	11.40	12.50	4706500
120.00	-0.04 -0.12	130.00	+0.13 -0.13	10.90	12.00	4461800
120.00	-0.04 -0.12	135.00	+0.13 -0.13	9.00	10.00	4614000
120.00	-0.04 -0.12	140.00	+0.13 -0.13	12.00	13.00	4614100
120.00	-0.04 -0.12	140.00	+0.13 -0.13	14.50	16.00	4312900
124.00	-0.04 -0.14	134.00	+0.13 -0.13	6.00	7.00	4618300
125.00	-0.04 -0.14	133.00	+0.13 -0.13	10.00	11.00	4392900
125.00	-0.04 -0.14	133.00	+0.13 -0.13	11.40	12.50	4748500
125.00	-0.04 -0.14	140.00	+0.13 -0.13	9.00	10.00	4614200
125.00	-0.04 -0.14	140.00	+0.13 -0.13	10.00	11.00	4618400

NOTE	Part numbers commencing “46 . . . .” or suffixed by “Ɪ”are designed to suit popular Asian housings. Part numbers suffixed by”‡” indicate housing sizes to meet ISO5597.

PART NUMBERS ON THIS PAGE ARE LISTED IN THE STANDARD MATERIAL OPTION. FOR MATERIAL VARIATIONS OR FOR CUSTOM SIZES, MATERIALS, OR SEAL DESIGNS, PLEASE CONTACT YOUR LOCAL HALLITE REPRESENTATIVE.



605


ROD SEAL

Twin Lip
Polyurethane

PART NUMBER RANGE

METRIC						
Ød$_1$	TOL f9	ØD$_1$	TOL Js11	SL	L$_1$ +0.25-0	PART No.
125.00	-0.04 -0.14	140.00	+0.13 -0.13	10.90	12.00	4766500
125.00	-0.04 -0.14	145.00	+0.13 -0.13	12.00	13.00	4614300
125.00	-0.04 -0.14	145.00	+0.13 -0.13	14.50	16.00	4307300‡
125.00	-0.04 -0.14	150.00	+0.13 -0.13	12.50	14.00	4367000
130.00	-0.04 -0.14	140.00	+0.13 -0.13	14.50	16.00	4390600
130.00	-0.04 -0.14	145.00	+0.13 -0.13	9.00	10.00	4614400
130.00	-0.04 -0.14	145.00	+0.13 -0.13	10.00	11.00	4619000
130.00	-0.04 -0.14	150.00	+0.13 -0.13	12.00	13.00	4614500
130.00	-0.04 -0.14	150.00	+0.13 -0.13	14.50	16.00	4313000
132.50	-0.04 -0.14	157.50	+0.13 -0.13	13.20	14.50	4329400
135.00	-0.04 -0.14	143.00	+0.13 -0.13	11.40	12.50	4903500
135.00	-0.04 -0.14	145.00	+0.13 -0.13	11.00	12.00	4619400
135.00	-0.04 -0.14	150.00	+0.13 -0.13	9.00	10.00	4618500
135.00	-0.04 -0.14	150.00	+0.13 -0.13	11.40	12.50	4537700
140.00	-0.04 -0.14	150.00	+0.13 -0.13	6.00	7.00	4617900
140.00	-0.04 -0.14	150.00	+0.13 -0.13	10.90	12.00	4461900
140.00	-0.04 -0.14	150.00	+0.13 -0.13	11.80	13.00	4625800

NOTE Part numbers commencing “46 . . . . .” or suffixed by “Ɪ” are designed to suit popular Asian housings.
Part numbers suffixed by”‡” indicate housing sizes to meet ISO5597.




PART NUMBER RANGE

METRIC						
$Ød_1$	TOL f9	$ØD_1$	TOL Js11	SL	L_1 +0.25-0	PART No.
140.00	-0.04 -0.14	155.00	+0.13 -0.13	9.00	10.00	4614600
140.00	-0.04 -0.14	155.00	+0.13 -0.13	11.80	13.00	4555300
140.00	-0.04 -0.14	160.00	+0.13 -0.13	11.80	13.00	4313100⁒
140.00	-0.04 -0.14	160.00	+0.13 -0.13	14.50	16.00	4307400‡
150.00	-0.04 -0.14	160.00	+0.13 -0.13	11.00	12.00	4595200
150.00	-0.04 -0.14	165.00	+0.13 -0.13	9.00	10.00	4614700
150.00	-0.04 -0.14	170.00	+0.13 -0.13	12.00	13.00	4614800
150.00	-0.04 -0.14	170.00	+0.13 -0.13	13.20	14.50	4367100
150.00	-0.04 -0.14	170.00	+0.13 -0.13	14.50	16.00	4342800
151.00	-0.04 -0.14	159.00	+0.13 -0.13	9.00	10.00	4538800
155.00	-0.04 -0.14	163.00	+0.13 -0.13	11.40	12.50	4903600
155.00	-0.04 -0.14	165.00	+0.13 -0.13	6.00	7.00	4618600
155.00	-0.04 -0.14	165.00	+0.13 -0.13	11.00	12.00	4619500
155.00	-0.04 -0.14	170.00	+0.13 -0.13	9.00	10.00	4618700
155.00	-0.04 -0.14	170.00	+0.13 -0.13	14.50	16.00	4342700
160.00	-0.04 -0.14	175.00	+0.13 -0.13	9.00	10.00	4614900
160.00	-0.04 -0.14	175.00	+0.13 -0.13	10.90	12.00	4462000

NOTE Part numbers commencing “46 . . . .” or suffixed by “⁒”are designed to suit popular Asian housings.
Part numbers suffixed by”‡” indicate housing sizes to meet ISO5597.

PART NUMBERS ON THIS PAGE ARE LISTED IN THE STANDARD MATERIAL OPTION. FOR MATERIAL VARIATIONS OR FOR CUSTOM SIZES, MATERIALS, OR SEAL DESIGNS, PLEASE CONTACT YOUR LOCAL HALLITE REPRESENTATIVE.



605


ROD SEAL

Twin Lip
Polyurethane

PART NUMBER RANGE

METRIC						
$Ød_1$	TOL f9	$ØD_1$	TOL Js11	SL	L_1 +0.25-0	PART No.
160.00	-0.04 -0.14	180.00	+0.13 -0.13	12.00	13.00	4615000
160.00	-0.04 -0.14	180.00	+0.13 -0.13	14.50	16.00	4345000
165.00	-0.04 -0.14	180.00	+0.13 -0.13	9.00	10.00	4616500
170.00	-0.04 -0.14	180.00	+0.13 -0.13	6.00	7.00	4618800
170.00	-0.04 -0.14	180.00	+0.13 -0.13	11.80	13.00	4625900
170.00	-0.04 -0.14	185.00	+0.14 -0.14	9.00	10.00	4618000
170.00	-0.04 -0.14	190.00	+0.14 -0.14	14.50	16.00	4398800
180.00	-0.04 -0.14	190.00	+0.14 -0.14	11.00	12.00	4617800
180.00	-0.04 -0.14	192.00	+0.14 -0.14	12.50	14.00	4619600
180.00	-0.04 -0.14	200.00	+0.14 -0.14	11.80	13.00	4314700‡
180.00	-0.04 -0.14	200.00	+0.14 -0.14	14.50	16.00	4560900
185.00	-0.05 -0.17	200.00	+0.14 -0.14	10.90	12.00	4462100
190.00	-0.05 -0.17	210.00	+0.14 -0.14	14.50	16.00	4896600
190.00	-0.05 -0.17	215.00	+0.14 -0.14	18.50	20.00	4749400
200.00	-0.05 -0.17	220.00	+0.14 -0.14	12.00	13.00	4615100
200.00	-0.05 -0.17	220.00	+0.14 -0.14	14.50	16.00	4380200
205.00	-0.05 -0.17	220.00	+0.14 -0.14	12.20	13.50	4522400

NOTE Part numbers commencing “46 . . . .” or suffixed by “Ɪ” are designed to suit popular Asian housings.
Part numbers suffixed by”‡” indicate housing sizes to meet ISO5597.



PART NUMBER RANGE

METRIC						
$Ød_1$	TOL f9	$ØD_1$	TOL Js11	SL	L_1 +0.25-0	PART No.
210.00	-0.05 -0.17	222.00	+0.14 -0.14	12.30	13.50	4625200
220.00	-0.05 -0.17	240.00	+0.14 -0.14	14.50	16.00	4555400
240.00	-0.05 -0.17	260.00	+0.16 -0.16	14.50	16.00	4626300
255.00	-0.06 -0.19	275.00	+0.16 -0.16	14.50	16.00	4629700
260.00	-0.06 -0.19	270.00	+0.16 -0.16	12.30	13.50	4625300
260.00	-0.06 -0.19	280.00	+0.16 -0.16	14.50	16.00	4859300
290.00	-0.06 -0.19	310.00	+0.16 -0.16	14.50	16.00	4896200
330.00	-0.06 -0.20	350.00	+0.18 -0.18	18.00	20.00	4587400

NOTE Part numbers commencing “46 . . . . .” or suffixed by “Ɪ”are designed to suit popular Asian housings.
Part numbers suffixed by”‡” indicate housing sizes to meet ISO5597.

PART NUMBERS ON THIS PAGE ARE LISTED IN THE STANDARD MATERIAL OPTION. FOR MATERIAL VARIATIONS OR FOR CUSTOM SIZES, MATERIALS, OR SEAL DESIGNS, PLEASE CONTACT YOUR LOCAL HALLITE REPRESENTATIVE.